

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 12]

NEW DELHI, SATURDAY, APRIL 4, 1959/CHAITRA 14, 1881

OFFICIAL PAPERS

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 28th February, 1959

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Andhra Pradesh																Himachal Pradesh															
"N. R."																TOTAL															
Assam																Total for w/e 21-2-59															
Lakhmpur																Total for w/e 14-2-59															
TOTAL																Kerala															
Total for w/e 21-2-59																"N. R."															
Total for w/e 14-2-59																Madhya Pradesh															
Bihar																"N. R."															
Bombay																Madras															
Greater Bombay																Madras City															
Ahmedabad																Chingleput															
Amreli																South Arcot															
Baroda																Tiruchirappalli															
Gohiawad																Tanjore															
Ahmednagar																Madurai															
East Khandesh																North Arcot															
Nasik																Salem															
Poona																Coimbatore															
South Satara																The Nilgiris															
Sholapur																Kanya Kumari															
Akola																TOTAL															
Chandrapur																Total for w/e 21-2-59															
Bhir																Total for w/e 14-2-59															
West Khandesh																Manipur															
TOTAL																TOTAL															
Total for w/e 21-2-59																Total for w/e 21-2-59															
Total for w/e 14-2-59																Total for w/e 14-2-59															
Delhi																Mysore															
Delhi City																"N. R."															
New Delhi																Orissa															
Delhi Civil Lines Zone																Cuttack															
TOTAL																Puri															
Total for w/e 21-2-59																Balasore															
Total for w/e 14-2-59																Ganjam															
																Koraput															

Explanation of Symbols used:—C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from Cholera, Smallpox Plague and Typhus in districts in India during the week ending the 28th February, 1959—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Orissa—contd.								Uttar Pradesh—contd.															
Sambalpur	59	3	Muzaffarnagar	3	1								
Dhenkanal	16	Muredabad	5	2								
Bolangir	38	9	Piliboit	14	2								
Khondamals	18	1	Rampur	1								
Mayurbhanj	8	Sultanpur	1								
Kalahandi	60	9	Bijnor	1								
TOTAL	12	7	233	27	TOTAL	91	25									
Total for w/c 21-2-59	4	3	180	22	Total for w/c 21-2-59	87	28									
Total for w/c 14-2-59	180	39	Total for w/c 14-2-59	88	24									
Pondicherry								West Bengal															
TOTAL	12	2	"N. R."															
Total for w/c 21-2-59	3	3	Total for India (excluding Andhra Pradesh, Bihar, Kerala, Madhya Pradesh, Mysore, Punjab, Rajasthan and West Bengal)															
Total for w/c 14-2-59	7	3	36	15	641	116									
Punjab								Corresponding															
"N. R."								Total for w/c 21-2-59	22	9	541	118									
Rajasthan								Corresponding															
"N. R."								Total for w/c 14-2-59	..	2	787	148	6	3									
Tripura								ARREAR INFORMATION															
TOTAL								Andhra Pradesh															
Total for w/c 21-2-59								w/c 24-1-59															
Total for w/c 14-2-59																							
Uttar Pradesh																							
Allahabad	4	1	Srikakulam	..	10	5	37	13								
Aligarh	8	1	Visakhapatnam	2	1								
Azamgarh	18	9	East Godavari	..	13	5	6								
Banda	3	2	West Godavari	..	9	1	24	7								
Deoria	17	3	Krishna	..	17	7	5								
Faizabad	5	Guntur	..	11	3	95	11								
Jaunpur	1	1	Nellore	..	13	5	1	1								
Kanpur	2	Kurnool	2	2								
Lucknow	9	2	Anantapur	26	6								
TOTAL								TOTAL															
TOTAL								TOTAL															

Explanation of Symbols used:—C. = Cases; D. = Deaths; .. Nil; "N.R." Information not received.

Explanation of Symbols used:—C. = Cases; D. = Deaths; .. Nil; "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th Februry, 1959 —concl'd.

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.				C.				D.				C.				D.				C.				D.			
West Bengal—Contd.																Kerala																															
Nadia 1 .. 5																w/c 21-2-59																															
West Dinajpur 19 4																Trivandrum 3 1																															
Jalpaiguri 1																Quilon 10 2																															
Darjeeling 2																Alleppy 3 11																															
Malda 11																Kottayam 1 4																															
TOTAL 7 4 138 50																Trichur 71 21																															
Tripura																Palghat 7 3																															
w/c 21-2-69																Kozhikode 5 4																															
TOTAL																Cannanore 18 5																															
TOTAL																TOTAL 181 51																															
Mimachal Pradesh																REMARKS																															
w/c 21-2-59																Smallpox—Heavy incidence were reported from Kalahandi districts of Orissa States.																															
TOTAL																																															

Explanation of symbols used:— C=Cases; D=Deaths ; .. =Nil.

NEW DELHI-2 (INDIA);
The 23rd March, 1959.

H. R. SHARMA,
for Registrar General, India,

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs 5/- to Rs 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/- Individual holding upto Rs 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs 15,000/-

15-YEAR ANNUITY CERTIFICATES

Issue Prices Rs. 8,325/-, Rs 6 650/-, Rs 13,300/-, & Rs 20,600/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State

INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th February, 1959

Towns	Mid-year Popn-Est. (000)	B.	B.R.*	Deaths from —							Total	D.R.*	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh														
Assam														
Bihar														
Bombay														
Delhi														
Kerala														
Madhya Pradesh														
Madras														
Ambur	48	26	28.2	1	2	10	10.8	3	
Arrupukottai	64	42	34.1	1	6	18	14.6	5	
Bodinayakanur	43	23	27.8	2	2	..	7	8.5	3	
Chidambaram	44	39	46.1	2	1	12	14.2	1	
Coimbatore	279	287	53.5	..	2	..	1	12	18	4	113	21.1	29	
Cuddalore	77	81	54.7	2	..	5	1	39	26.3	6	
Dindigul†														
Erode	79	71	46.7	2	1	2	3	24	15.8	3	
Gobichettipalayam	51	15	15.3	1	..	6	6.1	1	
Gudiyattam	60	47	40.7	1	..	4	..	19	16.5	6	
Kancheepuram	94	56	31.0	11	..	28	15.5	5	
Karaikudi	49	26	27.6	1	..	1	..	8	8.5	..	
Karur	60	34	29.5	1	1	1	..	12	10.4	1	
Kumbakonam	119	78	34.1	2	2	5	1	49	21.4	9	
Madras City	2,110	1,150	28.3	..	11	..	95	99	179	8	748	18.4	176	
Madurai	510	350	35.7	6	11	27	..	162	16.5	33	
Mayuram	55	43	40.7	2	..	1	1	15	14.2	4	
Maliapalayam	44	19	22.5	1	..	1	..	10	11.8	3	
Nagapattinam	63	51	42.8	3	4	1	..	24	20.1	5	
Nagercoil	113	41	18.9	1	1	1	..	10	4.6	2	
Ootacamund	54	47	45.3	4	4	..	16	15.4	4	
Palni	46	31	35.0	1	6	..	15	17.0	4	
Palayamkottai	50	89	92.6	5	2	1	..	20	29.1	3	
Periyakulam.	36	57	82.3	1	3	2	..	20	28.9	9	
Pollachi†														
Pudukottai	56	37	34.4	1	1	1	19	17.6	4	
Rajapalayam	77	42	28.4	5	5	3	..	19	12.8	4	
Salem	293	165	29.3	3	6	13	1	58	10.3	9	
Srlangam	48	47	50.9	1	..	2	..	15	16.2	2	
Srivilliputtur.	46	28	31.7	1	..	10	11.3	3	
Tanjore	138	95	35.8	1	5	3	..	58	21.9	13	
Tiruchirappalli	285	108	19.7	4	2	6	1	61	11.1	16	
Tirunelveli	86	81	49.0	1	3	4	..	22	13.3	6	
Tiruppur	77	57	38.5	1	..	9	6.1	1	
Tiruvannamalai	48	27	29.2	2	3	5	1	22	23.8	3	
Tuticorin	124	94	39.4	2	1	10	2	44	18.5	12	
Vaniyambadi	46	34	38.4	3	1	..	8	9.0	4	
Vellore	147	125	44.2	2	8	..	57	20.2	15	
Villapuram	42	34	42.1	2	..	3	..	14	17.3	1	
Virudhunagar	59	30	26.4	2	3	..	19	16.7	2	
TOTAL	5,719	3,707	33.7	..	13	..	147	184	339	25	1,828	16.6	410	
Mysore														
Bangalore	1,258	694	28.6	42	71	..	258	10.6	4	
Mysore	364	118	16.8	7	5	2	..	50	7.1	5	
Kolar Gold Fields	183	28	7.9	1	1	..	10	2.8	..	
Bellary	83	81	49.5	4	4	2	..	34	20.8	5	
Devangere	86	25	15.1	7	19	11.4	..	
Shimoga	71	36	26.3	6	1	8	5.9	..	
Bhadravati†														
Hospet	54	31	29.8	2	1	1	..	13	12.5	2	
Tumkur	54	42	40.4	4	4	3.8	..	
Kolar†														
Chitaldrug	40	19	24.7	4	5.2	..	
Hassan†														

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (Included in total deaths); .. = Nil Information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th February, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Myasore—contd.														
Bidar†														
Gulbarga†														
Raichur †														
Bijapur†														
Belgaum	114	118	53·8	2	..	4	..	52	23·7	1	
Dharwar†														
Bagalkot	40	25	37·5	3	17	9·0	5	
Mangalore	159	134	43·9	1	2	4	1	60	19·6		
Gadag Betegere.	74	68	47·7	9	..	2	..	30	21·0	1	
Hubli†														
TOTAL	2,580	1,419	28·6	45	56	87	1	549	11·1	23	
Orissa														
"N.R."														
Pondicherry	63	69	52·7	3	6	3	2	24	18·3	12	
Punjab														
Ambala	63	39	32·3	4	..	7	..	15	12·4	7	
Amritsar	367	274	38·9	3	29	..	81	11·5	16	
Batala	68	37	28·4	4	10	7·7	1	
Bhiwani	60	44	38·2	1	2	..	4	3·5	2	
Ferozepur	48	24	26·1	2	..	6	6·5	2	
Hissar	42	26	32·3	4	1	9	11·2	3	
Hoshiarpur	56	17	15·8	3	2·8	1	
Jullundur	240	101	21·9	7	..	3	..	30	6·5	7	
Karnal†														
Ludhiana†														
Moga	46	24	27·2	3	..	5	5·7	..	
Paripat†														
Pathankot	38	24	32·9	1	..	6	8·2	..	
Rewari	37	19	26·8	7	6	8·5	3	
Rohtak†														
Simla	54	34	32·0	3	..	3	2·9	..	
Sonepat†														
Bhatinda	47	12	13·3	1	..	2	..	4	4·4	..	
Malerkotla	36	31	44·9	4	5	7·2	..	
Patiala	129	95	38·4	2	..	3	..	21	8·5	1	
TOTAL	1,331	801	31·4	29	5	5	..	208	8·1	45	
Rajasthan														
Ajmer	250	87	18·1	8	1	8	..	35	7·3	5	
Alwar	61	14	11·9	2	1·7	..	
Beawar	67	16	12·7	..	1	..	5	9	6·9	4	
Bharatpur†														
Bikaner	118	25	11·0	3	2	6	..	19	8·3	3	
Churu†														
Ganganagar	65	5	4·0	2	..	1	..	6	4·8	2	
Jaipur	443	76	8·9	44	3	2	1	86	10·0	23	
Jodhpur†														
Kotah	85	4	2·4	..	3	..	10	16	9·7	2	
Sikar†														
Tonk†														
Udaipur	125	16	6·6	2	2	0·8	..	
TOTAL	1,214	243	10·4	..	4	..	74	6	17	1	175	7·5	39	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th February, 1959—*contd.*

Towns	Mid-year popn Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh															
Agra	414	425	53.5	1	11	47	..	105	13.2	34		
Allahabad	381	170	23.3	2	24	1	49	6.7	10		
Amroha	62	54	45.4	7	..	16	13.4	8		
Bahraich	49	17	18.1	5	1	2	..	10	10.6	1		
Banaras	426	288	35.2	35	4	13	..	119	14.6	21		
Banda †															
Barilly	206	57	14.4	8	..	11	..	29	7.3	3		
Basti†															
Ballia†															
Bijnor	33	14	22.1	1	4	6.3	..		
Budaun	35	40	37.9	5	10	9.5	4		
Bulandshahr	45	7	8.1	2	2	2.3	1		
Chandauli	45	35	40.5	2	1	5	..	10	11.6	2		
Dehra Dun	187	38	10.6	4	..	7	1.0	..		
Etawah	67	51	39.7	4	..	3	..	11	8.6	2		
Faizabad-Ayodhya	97	40	21.5	2	..	2	..	9	4.8	1		
Farukhabad-Fatehgarh	79	47	31.0	6	2	8	..	16	10.6	5		
Firozabad	95	37	20.3	4	..	1	..	9	4.9	3		
Ghazipur	36	15	21.7	1	..	2	..	5	7.2	1		
Ghaziabad	72	20	18.8	2	5	3.6	3		
Gonda	36	11	15.9	1	..	2	..	6	8.7	..		
Gorakhpur	155	72	24.3	9	5	7	..	33	11.1	9		
Hapur	67	33	25.7	1	1	1	..	6	4.7	..		
Hardwar	76	25	17.1	4	..	5	..	13	8.9	4		
Hathras	65	42	33.2	4	2	6	..	17	13.4	..		
Jaunpur	60	25	21.7	2	..	3	..	8	6.9	1		
Jhansi	135	62	23.9	14	..	3	..	25	9.6	2		
Kanpur	842	336	20.8	118	27	48	8	325	20.1	71		
Kasganj	34	16	24.5		
Khurja	41	32	40.7	9	..	1	..	11	14.0	..		
Koil-Aligarh	171	78	23.8	8	..	5	..	22	6.7	3		
Lucknow	539	348	33.7	6	1	21	1	105	10.1	22		
Mathura	121	62	26.7	5	..	7	..	20	8.6	3		
Mau-Nath Bhanjan	40	30	39.1	2	4	5.2	1		
Meerut	203	96	24.6	6	..	7	..	26	6.7	6		
Mirzapur-Vindhyachal	102	56	28.6	4	1	1	..	15	7.7	2		
Moradabad	166	157	49.3	5	..	13	2	36	11.3	12		
Muzaffarnagar	83	50	31.4	3	..	1	..	14	8.8	3		
Pilibhiti†															
Rampur	188	22	6.1	2	..	2	..	7	1.9	..		
Saharanpur.	183	109	31.0	16	..	1	..	21	6.0	7		
Sambhal†															
Sitapur	54	20	19.3	2	2	1.9	1		
Shahjahanpur	113	61	28.1	10	1	2	..	20	9.2	6		
Tanda†															
Haldwani-Cum-Kathgodam†															
Hardoi†															
Najibabad†															
TOTAL	5,824	3,098	27.7	309	59	265	12	11,52	10.3	253		
West Bengal															
"N. R."															
Delhi															
w/e 14-2-1959															
Delhi City	1398	453	16.8	10	2	19	..	64	2.9	24		
New Delhi	600	230	19.9	1	2	..	44	3.4	26		
N. A. C. Civil Station Delhi	227	205	47.2	..	1	..	3	1	9	1	31	7.1	31		
Delhi Cantt.	63	25	20.6		
Delhi Shahdara	52	55	55.0	3	7	7	1		
TOTAL	2340	969	21.5	..	1	..	16	4	28	1	60	1.3	60		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information; “N. R.”=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 28th February, 1959—*contd.*

Towns	Mid-year. popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
				Supplementary Figures										
Rajasthan		w/e 21-2-59												
Bharatpur	39	8	1·6	3	3	4·0	..	
Ganganagar	65	6	4·8	1	6	4·8	..	
Kotah	85	2	1·2	4	..	2	..	11	6·7	1	
West Bengal		w/e 14-2-59												
Asansol†														
Baidyabati†														
Bally	76	4	2·7	3	..	1	1	12	8·2	2	
Bankura	52	17	17·0	3	3·0	..	
Bansberia†														
Baranagar	103	38	14·2	1	3	6	..	22	11·1	8	
Basirhat	44	2	2·4	1	1·2	..	
Berhampur	71	61	44·8	1	2	17	12·5	2	
Bhadreswar	45	6	7·0	1	1·2	..	
Bhatpara	152	29	9·9	2	..	4	1	28	9·6	10	
Burdwan	87	17	10·2	..	1	3	1	9	5·4	..	
Calcutta	2,982	1,113	19·5	2	2	..	33	43	176	4	658	11·5	165	
Champadani	41	5	6·4	2	2·5	..	
Cooch-Behar†														
Darjeeling	40	16	20·9	1	5	6·5	..	
English Bazar	38	1	1·4	1	
Garden-Reach	134	11	4·3	2	2	4	..	12	4·7	2	
Halisahar	44	1	1·2	
Hooghly-Chinsura	64	40	32·6	1	1	2	..	12	9·8	2	
Howrah	486	157	16·8	..	1	..	1	9	41	..	120	12·9	38	
Jalpaiguri†														
Kamarhati†														
Kancharapara†														
Krishnagar	73	
Midnapur	47	50	55·5	1	3	..	31	34·4	..	
Nabadwip	88	27	16·0	8	5	2	..	17	10·1	2	
Naihati	69	2	1·5	1	..	4	3·0	..	
North Barrackpore	37	1	..	2	..	4	5·6	..	
Panihati	76	6	4·1	1	..	1	..	8	5·5	4	
Sardipur	57	6	5·5	1	..	3	2·7	..	
Sehrampur	95	38	20·9	3	4	4	..	23	12·6	7	
Siliguri†														
South Dum Dum	114	
South Suburban	157	3	6	..	13	4·3	5	
Titagarh	86	12	7·3	11	1	1	1	19	11·5	4	
Purulia	53	5	4·9	1	2	2·0	..	
Budge-Budge	32	14	22·8	3	4	6·5	..	
Chandranagore	62	41	34·5	1	5	..	21	17·7	4	
Kharagpur	87	1	0·6	..	1	3	1·8	..	
TOTAL	5,592	1,720	16·0	2	5	..	69	79	260	8	1,054	9·4	255	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

REMARKS

The figures of births and deaths in this statement for week ending 28th February, 1959 relate to 114 towns from the states of Madras, Mysore, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 16,736 thousands out of the total population of 48,445 thousands in 324 towns of the country. The

number of births and deaths recorded in these towns were 9,337 and 3,936 registering birth and death rates of 29.0 and 12.2 per thousand of population respectively.
The following table gives the registered rates for the different States:—

States	Current w/e 28-2-59		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras	33.7	16.6	28.1	16.7
Mysore	28.6	11.1	21.4	14.6
Pondichery	52.7	18.3	39.0	22.2
Punjab	31.4	8.1	34.4	8.6
Rajasthan	10.4	7.5	13.8	9.9
Uttar Pradesh	27.7	10.3	25.3	12.0
India	29.0	12.2	26.2	13.8

NEW DELHI-2 (INDIA) ;
The 23rd March, 1959. }

H. R. SHARMA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th March, 1959—*concl'd.*

CHOLERA								SMALLPOX								PLAGUE																	
C.				D.				C.				D.				C.				D.													
West Bengal																Mysore—contd.																	
"N.R."																w/e 28-2-59																	
Total for India (Excluding Andhra Pradesh, Bihar, Bombay, Delhi, Kerala, Madhya Pradesh, Mysore, Orissa, Rajasthan, Tripura), and West Bengal.																Shimoga	21	1	Bijapur	15	4	
1	..	254	74											Dharwar	21	2									
Corresponding total for w/e 28-2-59																South Kanara	5	Coorg (Mercara)	9	4		
3	1	228	56											TOTAL	89	11										
Corresponding total for w/e 21-2-59																Punjab																	
1	1	190	72											w/e 28-2-59																	
ARREAR INFORMATION																Hissar	1	Ambala	1
West Bengal																TOTAL																	
w/e 28-2-59																Andhra Pradesh																	
Burdwan	55	16	w/e 28-2-59																								
Birbhum	1	1	Srikakulam																								
Bankura	13	3	5 7 5 1																								
Midnapur	1	1	Visakhapatnam																								
Hoogly	4	2 3																								
Howrah	1	East Godavari																								
24 Parganas	1	1	47	18 54 13																								
Calcutta	2	2	West Godavari																								
Nadia	7	1	3 2 20 1																								
Murshidabad	1	Krishna																								
West Dinajpur	30	7	25 13 4 2																								
Malda	4	Guntur																								
TOTAL	2	1	161	55	14 9 44 9																										
Mysore																Nellore	16	6	1	1	Kurnool	5	3	39	7
w/e 28-2-59																Cuddapah																	
Chitradurga	6 2																								
Hassan	5	Anantapur																								
Chikmagalur	2 7 2																								
Mandya	1	Chittoor																								
Mysore	4	12 4																								
																Khammam	6	2	Total	86	45	179	36		
REMARKS																Epidemic:—or heavy conditions of Cholera or Smallpox were not reported from any part of the country.																	

Explanation of Symbols used :—C=Cases; D=Deaths; .. =Nil. "N.R."=Information not received

NEW DELHI-2 (INDIA) ;
The 30th March, 1959.H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th March, 1959

Towns	Mid.-year. popn.-Est. (000)	Deaths from											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Andhra Pradesh															
Adoni . . .	76	42	28.7	2	1	12	8.2	6		
Anantpur . . .	44	34	40.2	3	1	2	..	11	13.0	2		
Anakapalli . . .	52	20	20.0	10	10.0	4		
Bhimavaram . . .	43	24	29.0	1	..	5	6.0	2		
Chirala . . .	50	17	17.7	5	11	11.4	2		
Chittoor . . .	51	22	22.4	3	2	6	6.1	2		
Cuddapah . . .	47	22	24.3	2	8	8.8	1		
Elloref		
Gudivada . . .	41	16	20.3	2	..	1	..	8	10.1	2		
Guntur†		
Guntakal . . .	45	16	25.0	2	1	..	1	7	10.9	1		
Kakinada . . .	127	39	16.0	3	1	3	..	19	7.8	4		
Kurnool . . .	76	44	30.1	5	4	2	..	34	23.3	7		
Masulipatnam . . .	98	35	18.6	1	2	..	7	3.8	1		
Nandyal . . .	41	3	3.8		
Nellore . . .	111	80	37.4	8	2	5	2	..	50	23.4	8		
Proddutur †		
Rajahmundry . . .	140	45	16.7	1	2	..	1	..	13	4.8	4		
Tenali . . .	78	26	17.3	1	..	2	..	9	6.0	1		
Vijayawada . . .	271	43	8.3	..	1	..	4	..	1	..	20	3.8	9		
Visakhapatnam . . .	155	67	22.4	..	1	..	3	7	8	..	31	10.4	11		
Vizianagram . . .	83	33	20.7	1	1	1	..	12	7.5	4		
Hyderabad . . .	1,302	450	18.0	27	2	3	..	127	5.1	12		
Warrangal†		
Nizamabad . . .	85	12	7.3	2	..	4	..	6	3.7	..		
Kothagudiam†		
Secunderabad . . .	195	129	34.4	2	1	3	..	34	9.1	6		
TOTAL . . .	3,211	12,19	19.7	9	2	..	71	26	36	2	440	7.1	89		
Assam															
"NR"															
Bihar															
"NR"															
Bombay															
"NR"															
Delhi															
"NR"															
Kerala															
"NR"															
Madhya Pradesh															
"NR"															
Madras															
Ambur . . .	48	32	34.7	1	..	1	..	8	8.7	1		
Arrupukottai . . .	64	26	21.1	1	2	1	..	11	8.9	2		
Bodinayakanur†		
Chidambaram . . .	44	26	30.7	1	8	9.5	3		
Coimbatore . . .	279	231	43.1	..	8	..	3	9	14	1	87	16.2	14		
Guddalore . . .	77	54	36.5	1	..	2	..	17	11.5	2		
Dindigul . . .	103	9	4.5	2	4	4.5	1		
Erode . . .	79	32	21.1	3	2	..	19	12.5	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th March, 1959—*contd.*

Towns	Mid.-year Popn. Est. (000)	Deaths from :—										D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total		
Madras—contd.													
Gobichetipalayam	51	14	14.3	1	3	3.1	1
Gudiyattam	60	29	25.1	3	5	..	21	18.2	6
Kancheepuram	94	48	26.6	1	3	6	..	24	13.3	3
Karaikudi	49	19	20.2	1	1	..	5	5.3	1
Karur	60	33	28.6	1	6	5.2	1
Kumbakonam	119	90	39.3	..	1	..	2	3	2	1	30	13.31	1
Madras city†													
Madurai	510	320	32.6	..	1	..	12	5	14	..	135	13.8	36
Mayuram†													
Maliapalayam	44	11	13.0	1	..	3	3.5	..
Nagapattinam	62	41	34.4	4	2	6	..	23	19.3	8
Nagercoil	113	52	23.9	2	..	3	..	15	6.9	5
Ootacamund	54	41	39.5	2	5	..	14	13.5	4
Palni	46	24	27.1	6	..	8	9.0	3
Palayamkottai	50	35	36.4	1	1	16	16.6	3
Periyakulam	36	21	30.3	3	..	15	21.7	4
Pollachi†													
Pudukottai	56	36	33.4	1	..	13	12.1	1
Rajapalayam	77	46	31.1	4	1	14	9.5	3
Salem	293	160	28.4	5	6	13	1	57	10.1	4
Sriangam	48	23	24.9	2	..	4	4.3	..
Srivilliputtur†													
Tanjore	138	88	33.2	1	4	..	25	9.4	5
Tiruchirappalli	285	173	31.6	..	1	..	2	4	2	..	50	9.1	4
Tirunalveli†													
Tiruppur	77	24	16.2	1	9	1	26	17.6	5
Tiruvannamalai	48	45	48.7	1	2	5	..	23	24.9	5
Tuticorin	124	62	26.6	1	2	6	1	26	26.0	4
Vaniyambadi	46	25	28.3	1	..	2	2.3	..
Vellore	147	102	36.1	2	1	10	..	52	18.4	19
Villapuram	42	37	45.8	..	1	..	1	1	9	11.1	3
Virudhunagar	59	70	61.7	1	1	7	6.2	..
TOTAL	3,482	2,079	31.0	..	12	..	47	56	125	6	780	11.6	152
Mysore													
Bangalore	1,258	432	17.8	34	50	..	177	7.3	2
Mysore	364	125	17.8	17	5	3	..	56	8.0	1
Kolar Gold Fields	183	102	28.9	2	6	7	..	32	9.0	2
Bellary	83	34	20.8	1	2	3	..	18	11.0	2
Davangere	86	43	26.0	3	18	10.8	..
Shimoga†													
Bhadravati†													
Hospet	54	21	20.2	1	..	2	..	8	7.7	1
Tumkur†													
Kolar†													
Chitaldrug	40	11	14.3	7	9.1	..
Hassan†													
Bidar†													
Gulbergat													
Raichur†													
Bijapur	84	48	29.7	20	12.38	..
Belgaum	114	68	31.0	3	..	1	..	17	7.75	..
Dharwar†													
Bagalkot†													
Mangalore	159	62	20.2	..	1	1	1	..	13	4.2	..
Gadag Betegere	74	46	32.3	10	..	8	2	36	25.1	2
Hubli†													
TOTAL	2,499	992	20.6	..	1	..	37	48	75	2	402	8.4	10

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th March, 1959—*contd.*

Towns	Mid-year Popn-Est. (000)	B.	B.R.*	Deaths from :—										D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Orissa				"N. R."											
Pondicherry				"N. R."											
Punjab															
Ambala	63	33	27.2	1	..	4	..	12	9.9	4		
Amritsar	367	284	40.2	2	18	3	69	9.8	19		
Batala	68	30	23.0	3	..	1	..	7	5.4	3		
Bhiwani	60	29	25.2	4	8	7.0	3		
Ferozepur	48	31	33.7	1	..	3	..	5	5.4	1		
Hissar	42	27	33.5	2	..	1	..	5	6.2	2		
Hoshiarpur	56	14	13.0	2	1.9	..		
Jullundur	240	117	25.4	4	1	6	..	28	6.1	2		
Karnal	87	34	20.4	5	..	3	..	15	9.0	5		
Ludhiana	200	118	30.8	27	..	11	..	38	9.9	..		
Moga†															
Panipat	75	33	22.9	3	..	1	..	6	4.2	2		
Pathankot	38	20	27.4	1	..	2	2.7	1		
Rewari	37	15	21.1	2	1	1	..	4	5.6	2		
Rohtak†															
Simla	54	14	13.5	1	1	1	..	4	3.9	..		
Sonepat															
Bharinda	47	13	14.4	1	2	2.2	..		
Malerkotla	36	29	42.0	9	..	1	..	12	17.4	..		
Patiala	129	51	20.6	2	..	1	..	19	7.7	7		
TOTAL	1,647	892	28.2	65	5	53	3	238	7.5	52		
Rajasthan															
Ajmer†															
Alwar	61	6	5.1	1	..	2	1.7	..		
Beawar	67	16	12.4	2	..	5	..	10	7.7	2		
Bharatpur†															
Bikaner†															
Churu†															
Ganganagar†															
Jaipur†															
Jodhpur	443	78	9.2	40	4	10	..	76	8.9	23		
Kotah	85	2	1.2	..	1	..	3	8	4.8	..		
Sikar†															
Tonk†															
Udaipur†															
TOTAL	656	102	8.1	..	1	..	45	4	16	..	96	7.6	25		
Uttar Pradesh															
Agra	414	390	49.0	2	3	66	..	125	15.9	41		
Allahabad	381	155	21.2	1	21	..	50	6.8	12		
Amroha	62	44	37.0	3	2	6	..	13	10.9	4		
Bahraich	49	15	16.0	2	..	1	..	3	3.2	..		
Banaras	426	194	23.7	30	2	9	..	105	12.8	23		
Banda†															
Barcilly	206	56	14.2	6	1	11	..	24	6.1	3		
Basti†															
Ballia†															
Bijnor†															
Budaun	55	40	37.9	5	..	2	..	12	11.4	2		
Bulandshahr	45	8	9.3	3	3	3.5	1		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending 7th March, 1959—*concl'd.*

Deaths from :—

Towns	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Chandauli . . .	45	18	20.8	3	3.5	1
Dehra Dun . . .	187	43	12.0	4	6	..	20	5.6	..
Etawah . . .	67	44	34.2	8	..	2	..	14	10.9	2
Faizabad-Ayodhya	97	35	18.8	2	..	2	..	11	5.9	2
Farukhabad-Fatehgarh .	79	40	26.4	4	2	6	..	13	8.6	2
Firozabad . . .	95	29	15.9	1	..	3	1.6	..
Ghaziipur	36	15	21.7	5	..	1	..	8	11.6	..
Ghaziabad . . .	72	59	42.7	4	1	1	1	12	8.7	2
Gonda . . .	36	9	13.0	2	1	1	..	7	10.1	..
Gorakhpur . . .	155	54	18.2	6	6	5	..	26	8.7	6
Hapur . . .	67	32	24.9	2	..	6	..	8	6.2	3
Hardwar . . .	76	21	14.4	4	..	1	..	11	7.5	5
Hathras . . .	66	33	26.1	6	..	6	..	18	19.2	2
Jaunpur . . .	60	30	26.1	1	..	2	..	7	6.1	..
Jhansi . . .	135	92	35.5	24	..	1	..	35	13.5	7
Kanpur . . .	842	342	21.2	109	27	44	5	299	18.5	62
Kasganj . . .	34	14	21.5	1	1	1.5	..
Khurja . . .	41	16	20.3	1	..	4	..	7	8.9	..
Koil-Aligarh . . .	171	70	21.3	9	..	6	..	18	5.5	1
Lucknow . . .	539	350	33.8	17	6	16	..	89	8.6	23
Mathura . . .	121	90	38.8	5	1	8	..	22	9.5	..
Mau-Nath Bhanjan . .	40	20	26.1	1	..	6	7.8	1
Meerut . . .	203	107	27.5	2	..	6	..	15	3.8	1
Mirzapur-Vindhyachal .	102	54	27.6	3	1	5	..	13	6.6	4
Moradabad . . .	166	115	36.1	8	1	9	..	28	8.8	2
Muzaffarnagar . . .	83	32	20.1	4	..	1	..	8	5.0	4
Pilibhit . . .	48	33	35.8	3	..	3	1	10	10.9	1
Rampur . . .	188	4	1.1	1	3	.8	..
Saharanpur . . .	183	91	25.9	24	2	5	..	40	11.4	12
Sambhal†													
Sitapur . . .	54	17	16.4	1	2	1.9	1
Shahjahanpur . . .	113	60	27.7	9	2	4	..	22	10.1	3
TOTAL . . .	5,839	2,871	25.6	315	64	269	7	1,114	9.9	234

West Bengal

"N.R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th March, 1959 relate to 127 towns from the States of Andhra Pradesh, Madras, Mysore, Punjab, Rajasthan and Uttar Pradesh with a population of 17,334 thousand out of a total population of 48,445 thousand in 324 towns of the country. The number of births

and deaths recorded in these towns were 8,155 and 3,070 registering birth and death rates 24.5 and 9.2 per thousand of population respectively.

The following tables give the registered rates for different States:—

States	Current w/e 7-3-59		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Andhra Pradesh	19.7	7.1	23.4	9.8
Madras	31.0	11.6	26.8	14.1
Mysore	20.6	8.4	17.2	11.4
Punjab	28.2	7.5	28.9	7.2
Rajasthan	8.1	7.6	9.5	6.6
Uttar Pradesh	25.6	9.9	23.0	10.2
India	24.5	9.2	22.7	10.9

NEW DELHI-2 (INDIA) ;

The 30th March, 1959.

H. R. SHARMA,

for Registrar General, India.